NBS-TMS 160/3L 125A 3P

Întrerupător de circuit în car



Cod ETI:	**004673008**
Aplicație:	**IEC/EN 60947-2**
Capacitatea de rupere:	**36 kA**
Curent nominal:	**125 A**
Număr de poli:	**3**
Tipul conexiunii:	**Conexiune frontală**
Tensiunea nominala de rezistenta Uimp:	**8 kV**
Capacitate nominala de scurtcircuit la 415 V Icu/Ics:	**36 kA**
Tensiunea nominala (V AC) :	**690 V**
Tensiune nominala de lucru (V DC) :	**250 V**
Tensiune nominala de izolare:	**1.000 V**
Reglare termica :	**0,8-1**
Ajustare magnetica :	**10In**
Reglabil sau fix :	**Ajustabil**
Standarde:	**IEC/EN 60947-2**
Funcție:	**MCCB**
Grup Catalog:	**NBS**
Dimensiunea cadrului:	**160**

Pagina online a produsului

Documente

CATALOG DATE TEHNICE

MANUAL DE INSTRUCȚIUNI

DECLARAȚIE CE

FIȘIER 2D

FIȘIER 3D

FIȘIER EPLAN

ETIM

Motor drive optional	✓
Complete device with protection unit	✓
Rated permanent current Iu	**125 A**
Degree of protection (IP)	**IP20**
Type of control element	**Toggle**
Position of connection for main current circuit	**Front side**
Type of electrical connection of main circuit	**Screw connection**
Number of poles	**3**
Device construction	**Complete device in housing**
Rated short-circuit breaking capacity Icu at 400 V, 50 Hz	**36 kA**
With switched-off indicator	✓
Overload release current setting(Min)	**80 A**
Rated voltage(Min)	**415 V**
Rated voltage(Max)	**690 V**
Overload release current setting(Max)	**100 A**

Logistică

Produs

Greutate	**1,5 kg**
Net width	**105 mm**
Net height	**157 mm**
Net depth	**106,55 mm**
Stock unit of measure	**pcs**

Ambalare de bază

Basic packaging quantity	**1 pcs**
EAN code for a basic packaging	**3838895936619**
Basic packaging weight	**1,89 kg**
Basic Packaging Dimensions Height	**136 mm**
Basic Packaging Dimensions Width	**116 mm**
Basic Packaging Dimensions Depth	**183 mm**
Basic packaging volume	**2,887 dm³**

Ambalare transport

Transport packaging quantity	**12 pcs**
EAN code for a transport packaging	**3838895936626**
Transport packaging weight	**23,28 kg**
Transport Packaging Dimensions Height	**370 mm**
Transport Packaging Dimensions Width	**240 mm**
Transport Packaging Dimensions Depth	**420 mm**
Transport packaging volume	**37,296 dm³**
Pallet quantity	**312 pcs**
Customs tariff	**85362090**